

BANGALORE DIVISION.

The 22nd March 1903.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Bangalore Division, up to 6th April 1903, for restoring Hoskur tank, Registered No. 201 of Anekal Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1904.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Bangalore between the hours of 11 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring Hoskur tank, Registered No. 201 of Anekal," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Items of work.		Per	Quantity or Rate.
	<i>Bund.</i>		
Earthwork		C. yds.	8,367
Old stone work		Do	937.18
New stone work		Do	24.17
Turfing		S. yds.	4,736
New grade stones		Each	28
Registered number stones		"	1
B. M. stones		"	2
Gauge stones		"	1
Index stones		"	56
<i>Waste weir (195) extension.</i>			
Dismantling masonry		C. ft.	1105
Earthwork, excavation and draught below weir		C. yds.	4,603
Clearing approaches above weir		"	7,938
Concrete in surki mortar		C. ft.	1,677
Burnt brick in surki mortar		"	2,294
Burnt stone slabs nicely dressed		S. ft.	360
Do " roughly dressed		"	632
Plastering and pointing with surki mortar		L. S. Rupees	
Rough stone work, new		C. yds.	713
Old stone work		"	332
Compensation for land		L. S. Rupees	
<i>Sluice.</i>			
Repairing sluice		L. S. Rupees	

B. VENKATACHAR, *Executive Engineer.*

KOLAR DIVISION.

The 20th March 1903.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Kolar Division, up to 15th April 1903 noon, for restoring the Chendanadur Tank, Registered No. 189, Goribidnur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1905.

2. The plans, detailed estimate, and conditions may be seen at the Executive Engineer's office at Kolar between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed. The rates tendered should include royalty on stones, limestone, etc., removed from Government lands.

4. Each tender must be accompanied by a deposit of Rupees 500 in Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring the Chendanadur tank, Registered No. 189, Goribidnur Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

ABSTRACT.

Items of work.	Per	Quantity.
<i>Bund.</i>		
Earthwork	C. yds.	62,663
Turfing	S. yds.	25,462
New stone work	C. yds.	10,390
B. M. stones	Each	2
Grade stones	Do	89
Year stone	Do	1
Tank No. stone	Do	1
Gravel backing	C. yds.	2,856
Gauge stone	Each	1
<i>Waste Weir 200'.</i>		
Earthwork	C. yds.	336
Burnt brick in surki	C. ft.	4,060
Stone slabs	S. ft.	1,891
Stone in chunam	G. ft.	664
Concrete	C. ft.	1,015
Rough stone work	C. yds.	50
<i>Sluices.</i>		
Examining and reconstructing	Lump sum	
<i>Anikat 250' ft. long.</i>		
Excavating sand	Lump sum	
Baling water	Do	
Excavation in hard soil	C. yds.	974
Do soft rock		391
Burnt brick in surki	C. ft.	11,526
Burnt stone slabs	S. ft.	3,245
Concrete	C. ft.	7,183
Cutting holes etc., for joggles	Lump sum	
Chunam plastering	Sqr.	30-00
Rough stone apron	Lump sum	
Shutters for scouring sluice	Do	
Dry stone work	C. yds.	160
Training bank including tamping	Do	336
<i>Head sluice near anikat.</i>		
Excavating foundation and refilling	Lump sum	
Burnt brick in surki	C. ft.	2,123
Burnt stone slabs	S. ft.	470
Chunam plastering	Sqr.	10-16
Shutters with iron etc., complete	Each	4
Cutting grooves	Lump sum	

Item of work.	Channel.	Per.	Quantity.
Earthwork		C. yds.	19,364
Soft rock excavation		Do	9,225
Dry stone revetment		Do	50
Earthwork to feed Chendanadur tank		Do	4,107
<i>Cattle bridges Nos. 1, 2 and 3.</i>			
Excavating foundation and refilling		Lump sum.	
Burnt brick in surki		C. ft.	2,376
Do stone slabs		S. ft.	672
Chunam plastering		Sqr.	10-35
Dry stone work		C. yds.	51
Concrete		C. ft.	318
Forming the road and gravelling		Lump sum.	
<i>Head sluice in Idagur tank to feed Chendanadur tank.</i>			
Earthwork		C. yds.	792
Burnt stone in chunam		C. ft.	516
Burnt brick in surki		Do	2,409
Stone slabs		S. ft.	592
Rough stone work		C. yds.	111
Shutters with rod, etc., complete		Each	3
Cutting grooves		Lump sum.	
<i>Miscellaneous.</i>			
Mile stone		Each	2
Half-furlong bank grade stones		Do	27
Bed grade stones		Do	28

B. SUBBA RAO, *Executive Engineer.*

MYSORE DIVISION.

Notice, dated 15th March 1903.

A sum of Rs. 152-12-2 is due to deceased Mansur Sab, contractor, for planting in the vicinity of the Reserve Police Lines at Mysore from this office. If his heir or heirs do not appear before the Executive Engineer, Mysore Division, within next three months to receive payment of the said sum with proper heir certificate, it will be forfeited to Government.

K. KRISHNAIENGAR, *Offg. Executive Engineer.*

KADUR DIVISION.

The 19th March 1903.

1. Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Kadur Division, up to 10th April 1903, for constructing a 2nd class travellers' bungalow at Birur, Kadur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1904.
2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Chikmagalur between the hours of 11 A.M. and 5 P.M.
3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.
4. Each tender must be accompanied by a deposit of rupees two hundred, in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing a travellers' bungalow at Birur," in default of which, tenders will be rejected.
5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.
6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.
7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract of estimate for constructing a new 2nd class travellers' bungalow at Birur, Kadur Taluk.

Items of work.	Per.	Quantity.	Rate.	Cost.
Clearing the site and levelling the ground	Lump sum.			
Earthwork excavation	C. yd.	304		
Concrete	C. ft.	3,856		
Burnt stone in chunam with bond slabs	"	5,311		
Burnt brick in chunam	"	4,724		
Do in mud	"	2,474		
Burnt stone slabs, 6" thick, dressed in faces	S. ft.	1,073		
Do 4" do	"	125		
Teakwood work including wood oiling	C. ft.	306		
Honne wood work do and tarring to exposed portion.	"	98.18		
Roofing with 1st class Mangalore tiles and teak reepers etc.	Sqr.	36.92		
Terracing	"	14.72		
Teakwood planking (ceiling $\frac{1}{2}$ " thick) including oiling	S. ft.	10.70		
Ridge tiles set in mortar	R. ft.	170		
Flooding with 6" concrete and plastering over it	C. ft.	25		
Do with gravel and cowdung washing and plastering.	C. yd.	9		
Do with tiles and 3" concrete and cement pointing	Sqr.	20.88		
(tiles manufactured in the school of Arts in Mysore).				
Do with burnt stone slabs over 3" concrete and cement pointing.	S. ft.	309		
Chunam pointing	Sqr.	9.18		
White-washing 2 coats	"	90.14		
Color do	"	35.53		
Cornice work, ordinary	R. ft.	218		
Chunam plastering	Sqr.	107.24		
Mud do	"	18.13		
Mangalore ventilating tiles	Each	2		
Teakwood finials, large	Each	2		
Do small	"	4		
Cut stone pillars for verandah	"	18		
Teakwood eave boards, ornamental 1" thick with painting	R. ft.	124		
Honnewood shelves in leaths	Lump sum.			
Teakwood double doors (panelled)	No.	2		
Teakwood doors	"	5		
Do	"	6		
Do windows with inside glazed shutters with iron bars	"	9		
Do ventilators swing glazed large	"	22		
Do do small	"	2		
Honnewood doors, battened	"	1		
Do ventilators with swing glazed shutters	"	6		
Do windows with iron bars and shutters	"	1		
Do ventilators, ordinary swing shutters	"	1		
Chocolate painting to doors and windows	Sqr.	17.00		
Cement plastering $\frac{1}{2}$ " thick under the eave of Mangalore roof to a width of 3 feet.	Sqr.	3.60		
Tarring to latrine walls inside 3" high	"	6.00		
Bamboo poles for stalls	No.	6		
Zinc sheets to valice of out houses	No.	4		
Constructing a cistern in the bath room of Native kitchen.	Lump sum.			
Drawing-well	Do			
Line fence and gates for the compound	Do			
Drainage pipes	R. ft.	182		
Drilling holes in upright slabs for stalls	No.	8		

V. ARUNACHELLAN, Executive Engineer.

CHITALDRUG DIVISION.

Abstract Notification, dated 4th March 1903.

Repairing the Nagasamudra Tank, Register No. 114 of Molakalmuru Taluk.

Attention is invited to tenders called for the above work in the Mysore Gazette, dated 12th March 1903.

Y. SRINIVASA RAO, Executive Engineer.